

Second Hand Smoke - References

Aligne CA, Stoddard JJ. Tobacco and children. An economic evaluation of the medical effects of parental smoking. *Arch Pediatr Adolesc Med*. 1997;151:648-53

American Academy of Pediatrics: Committee on environmental health. Environmental tobacco smoke: A hazard to children. *Pediatrics*. 1997;99(4):639-41

Americans for Nonsmokers' Rights. *States, Commonwealths, and Municipalities with 100% Smokefree Laws in Workplaces, Restaurants, or Bars*. Available at: <http://www.no-smoke.org/pdf/100ordlist.pdf>. Updated July 1, 2008. Accessed July 30, 2008.

Anderson HR, Cook DG. Passive smoking and sudden infant death syndrome: review of the epidemiological evidence. *Thorax* 1997;52:1003-1009

Ashley MJ, Ferrence R. Reducing children's exposure to environmental tobacco smoke in homes: issues and strategies. *Tob. Control*. 1998;7:61-65

Bailey SL, Ennet ST, Ringwald CL. Potential mediators, moderators, or independent effects in the relationship between parents' former and current cigarette use and their children's cigarette use. *Addict Behav*. 1993;18:601-21

Bauer JE, Hyland A, Li Q, Giovino G & Cummings KM. *Relationship of clean indoor air policies at work, home, and in the family car with cessation behaviors*. Paper presented at the meeting of the Society for Research on Nicotine & Tobacco. Feb 2003. New Orleans, LA.

Bek K, Tomac N. The effect of passive smoking on pulmonary function during childhood. *Postgrad Med J*. 1999;75:339-41

Biener L, Cullen D, Di ZX, Hammond SK. Household smoking restrictions and adolescents' exposure to environmental tobacco smoke. *Prev Med*. 1997;26:358-63

Boers JE, Ambergen AW, Thunnissen FB. Number and proliferation of Clara cells in normal human airway epithelium. *Am J Respir Crit Care Med*. 1999;159(5 pt 1):1585-91

Borelli B, Hogan JW, Bock B. Predictors of quitting and dropout among women in a clinic-based smoking cessation program. *Psychology of Addictive Behaviors*. 2002;16(1):22-27

Brownson RC, Eriksen MP, Davis RM, Warner KE. Environmental tobacco smoke. Health effects and policies to reduce exposure. *Annual Review of Public Health*. 1997;18:163-85

Burnett K, Young P. Ask, Advise, Assist: Pediatricians and Passive Smoke Exposure. *Clin Pediatr (Phila)* 1999;38:339-45

California Environmental Protection Agency: Air Resources Board. *Proposed identification of environmental tobacco smoke as a toxic air contaminant—executive summary*. June 24, 2005. 2008 Available at: www.arb.ca.gov/toxics/ets/exposure_ets.htm. Accessed July 31, 2008



California Environmental Protection Agency: Air Resources Board. California Tobacco Laws that Reduce ETS Exposure. Available at: http://www.arb.ca.gov/toxics/ets/laws_ets.htm. Updated Feb. 14, 2008. Accessed July 30, 2008.

California Environmental Protection Agency: Air Resources Board. Proposed Identification of Environmental Tobacco Smoke as a Toxic Air Contaminant – Part A: Exposure Assessment. V-43-V-52. June 24, 2005. Available at: <http://repositories.cdlib.org/context/tc/article/1194/type/pdf/viewcontent/> Accessed: Aug 15, 2008

Centers for Disease Control. Indoor air quality in hospitality venues before and after implementation of clean indoor air law—Western New York, 2003. *MMRW Morb Mortal Wkly Rep.* 2004;53:1038-41

Centers for Disease Control and Prevention. Disparities in Secondhand Smoke Exposure—United States, 1988-1994 and 1999-2004. *MMWR Morb Mortal Wkly Rep*; Jul 11, 2008; 57(27). Available at: http://www.cdc.gov/tobacco/data_statistics/MMWR/2008/mm5727a3_highlights.htm Accessed: Aug 19, 2008

Centers for Disease Control and Prevention. Annual smoking—attributable mortality, years of potential life lost, and the economic costs—United States 1995-1999. *MMRW Morb Mortal Wkly Rep.* 51(14). Available at: www.cdc.gov/tobacco/research_data/economic/mmrw5114.highlights.htm Accessed July 17, 2003

Centers for Disease Control and Prevention. State specific prevalence of cigarette smoking among adults, and children's and adolescent's exposure to environmental tobacco smoke—United States 1996. *MMRW Morb Wkly Rep.* 1997;46:1038-43

Centers for Disease Control. Asthma mortality and hospitalization among children and young adults—United States 1980-1993. *MMRW Morb Wkly Rep.* 1996;45(17):350-53

Centers for Disease Control. Cigarette smoking among adults—United States. 1993. *MMRW Morb Wkly Rep.* 1194;43(50):925-29

Chilmonczyk BA, Salmun LM, Megathlin KN, et. al. Association between exposure to environmental tobacco smoke and exacerbations of asthma in children. *N Engl J Med.* 1993;328:1665-69

Cluss, PA, Moss D. Parent attitudes about pediatricians addressing parental smoking. *Ambul Pediatr.* 2002; 2(6):485-488

Cohen D, Arai SF, Brain JD. Smoking impairs long-term dust clearance from the lung. *Science* 1979;204(4392):514-17

Colley JR, Holland WW, Corkhill RT. Influence of passive smoking and parental phlegm on pneumonia and bronchitis in early childhood. *Lancet.* 1974;Nov 2:529-32

Cook DG, Strachan DP. Health effects of passive smoking-10: Summary of effects of parental smoking on the respiratory health of children and implications for research. *Thorax* 1999;54:357-66

Crombie IK, Wright A, Irvine L, Clark RA, Slane PW. Does passive smoking increase the frequency of health services contacts in children with asthma? *Thorax*. 2001;56:9-12

Curry SJ, Ludman EJ, Graham E, Stout J, Grothaus L & Lozano P. Pediatric-based smoking cessation intervention for low-income women. *Archives of Pediatrics and Adolescent Medicine*. 2003;157:295-302

Daisey JM. Tracers for assessing exposure to environmental tobacco smoke; what are they tracing? *Environ Health Perspect* 1999;107(suppl 2):319-27

DiFranza JR, Lew RA. Morbidity and mortality in children associated with the use of tobacco products by other people. *Pediatrics*. 1996;97:560-68

Ehrlich R, Kattan M, Godbold J, et. al. Childhood asthma and passive smoking: urinary cotinine as a biomarker of exposure. *Am Rev Respir Dis*. 1992;145:594-99

Eisner M, Smith A, Blanc P. Bartenders' respiratory health after establishing of smoke-free bars and taverns. *JAMA* 1998;280:1909-14

Emmons KM, Hammond SK, Fava JL, Velicer WF, Evans JL, Monroe AD. A randomized trial to reduce passive smoke exposure in low-income households with young children. *Pediatrics* 2001;108(1):18-24

Environmental Protection Agency, Office of Research and Development, Office of Air and Radiation. *Respiratory health effects of passive smoking: lung cancer and other disorders*. Washington, DC: Environmental Protection Agency, Office of Research and Development, Office of Air and Radiation; 1992. Environmental Protection Agency publication EPA /600/6-90/006F

Erikson K, Bruusgard D. Effects of information on smoking behavior in families with school children. *Acta Paediatr*. 1996;85:209-212

Etzel RA, Pattishell EN, Haley NJ, Fletcher RH, Henderson FW. Passive smoking and middle ear effusion among children in day care. *Pediatrics*. 1992;90:228-32

Farely M, Evans W, Sfeekas A. The impact of workplace smoking bans: results from a national survey. *Tob Control* 1999;8:272-277

Farkas AJ, Didtefan JM, Choi WS, Gilpin EA, Pierce JP. Does parental smoking cessation discourage adolescent smoking. *Prev Med*. 1999;28:213-218

Farkas AJ, Gilpin EA, White MM, Pierce JP. Association between household and workplace smoking restrictions and adolescent smoking. *JAMA*. 2000;284:717-22



Fergusson DM, Horwood LJ, Shannon FT. Parental smoking and respiratory illness in infancy. *Arch Dis Child*. 1980;55:358-361

Fiore MC, Jaen CR, Baker TB, et al. *Treating Tobacco Use and Dependence: 2008 Update*. Clinical Practice Guideline. Rockville, MD: U.S. Department of Health and Human Services. Public Health Service. May 2008

Fiore M, Bailey W, Cohen S, Dorfman S, Goldstein M, Gritz E, et.al. *Treating tobacco use and dependence. clinical practice guidelines*. Rockville, MD:U.S. Department of Health and Human Services, Public Health Service; 2000

Fossum B, Arborelius E, Bremberg S. Evaluation of a counseling method for the prevention of child exposure to tobacco smoke: an example of client-centered communication. *Preventive Medicine*. 2004;38:295-301

Gerhman CA, Howell MF. Protecting children form environmental tobacco smoke (ETS) exposure: A critical review. *Nicotine & Tobacco Control Research*. 2003;5:289-301

Gilpin EA, White MM, White MM, Farkas AJ, Pierce JP. Home smoking restrictions, which smokers have them and how they are associated with smoking behavior. *Nicotine Tob Res*. Jun: 1(2):153-62

Glantz SA, Parmley W. Passive Smoking and Heart Disease:Epidemiology, Physiology, and Biochemistry. *Circulation*. 1991;83(1):1-12

Glasgow RE, Foster LS, Lee ME, Hammond SK, Lichtenstein E, Andrews JA. Developing a brief measure of smoking in the home: Description and preliminary evaluation. *Addictive Behaviors*. 1998; 23:567-71.

Godecker AL, Marchi KS, Takashi ER, and Ahmad S. Maternal smoking and alcohol use during pregnancy in California, 1999-2004. Annual Meeting of the American Health Association. December 10-14, 2005;53:915-17

Goodwin R. Environmental tobacco smoke and the epidemic of asthma in children: the role of cigarette use. *Annals of Allergy, Asthma & Immunology*. 2007;98: 447-53

Green DE. *Teenage smoking: Immediate and long term patterns*. Washington, DC:US Government Printing Office. 1979

Greenberg R, Strecher V, Bauman K, Boat BW, Fowler MG, Keyes LL, et. al. Evaluation of a home-based intervention program to reduce infant passive smoking and lower respiratory illness. *J Behav Med*. 1994;3(17):273-90

Groner JA, Ahijevych K, Grossman LK & Rich LN. The impact of a brief intervention on maternal smoking behavior. *Pediatrics*.2000;105:267-71

Halken S, Host A, Nilsson L, Taudorf E. Passive smoking as a risk factor for development of obstructive respiratory disease and allergic sensitization. *Allergy*. 1995;95:670-77

Halterman JS, Fagnano M, Conn KM, Szilagyi PG. Do parents of urban children with persistent asthma ban smoking in their homes and cars? *Ambul Pediatr*. 2006;6:115-19

Halterman JS, Fagnano M, Conn KM, Lynch KA, Delbaso MA, Chin NP. Barriers to reducing ets in the homes of inner-city children with asthma. *Journal of Asthma*.2007;44:83-88

Hammond SK. Exposure of US workers to environmental tobacco smoke. *Envrion Health Perspect*. 1999;107(Suppl 2):329-340.

Harlap S, Davies AM. Infant admissions to the hospital and maternal smoking. *Lancet*. 1974; Mar 30; 529-537

Heatherton TF, Kozlowski LT, Frecker RC, Fagerstrom KO. The Fagerstrom test for nicotine dependence: a revision of the Fagerstrom tolerance questionnaire. *British Journal of Addiction*. 1991;86:1119-27

Hoffman D, Hoffman I. Smoking and Tobacco Control Monograph No. 13. The Changing Cigarette:Chemical Studies and Bioassays. Available at:
http://dccps.nci.nih.gov/tcrb/monographs/13/m13_5.pdf

Hovell M, Gehman C. Protecting children from environmental tobacco smoke (ETS) exposure: A critical review. *Nicotine & Tobacco Research*. 2003;5:289-301

Hovell MF, Zakarian JM, Matt GE, et. Al. I. Effect of counseling mothers on their children's exposure to environmental tobacco smoke: randomized controlled trial. *BMJ*.2000;321:337-42

Hovell MF, Zakarian JM, Wahlgreen DR, and Matt GE. Reducing children's exposure to environmental tobacco smoke: the empirical evidence and directions for future research. *Tob Control*. 2000;9:40-47

Irvine L, Crombie IK, Clark RA, et. al. Advising parents of asthmatic children on passive smoking: randomized controlled trial. *BMJ*. 1993;318:1456-1459

Iverson M, Birch L, Lundqvist GR, Elbrond O. Middle ear effusion in children and the indoor environment: an epidemiological study. *Arch Environ Health*. 1985;40:74-79

Jaakola MS. Environmental tobacco smoke and health in the elderly. *Eur Respir J*. 2002;19:172-81

Janson C. The effect of passive smoking on respiratory health in children and adults. *Int J Tuberc Lung Dis*. 2004; 8(5):510-16

Ji CM, Plopper CG, Witschi H, Pinkerton KE. Exposure to sidestream cigarette smoke alters bronchiolar epithelial cell differentiation in the postnatal rat lung. *Am J Respir Crit Care Med*. 1999;159 (5 pt 1):1585-91



Kado NY, McCurdy SA, Tesluk SJ, Hammond SK, Hsieh DP, Jones J. Measuring personal exposure to airborne mutagens and nicotine in environmental tobacco smoke. *Mutation Research*. 1991;261(1):75-82

Kegler MC, Escoffery C, Groff A, Butler S, Foreman A. A qualitative study of how families decide to adopt household smoking restrictions. *Fam Community Health*. 2007;30(2):328-41

Klein JD. Incorporating effective smoking prevention and cessation counseling into practice. *Pediatr Am*. 1995;24:646-52

Kleinschmidt I, Hills M, Elliott P. Smoking behavior can be predicted by neighborhood deprivation measures. *J Epidemiol Commun Health*. 1995;49 (suppl 2):S72-7

Klepeis NE. An introduction to the indirect exposure assessment approach: modeling human exposure using microenvironmental measurements and the recent national human activity pattern survey. *Environmental Health Perspectives*. 1999;107 (Suppl 2):365-74.

Klepeis NE, Nelson WC, Ott WR, Robinson JP, Tsang AM, Switzer P, et. al. The national human activity pattern survey (nhaps): a resource for assessing exposure to environmental pollutants. *Journal of Exposure Analysis and Environmental Epidemiology* 2001;11(3):231-52.

Koop, CE. *The health consequences of smoking: nicotine addiction*. U.S. Government Printing Office (Publication 521-468/00216. 1988) Rockville, MD:D

Kottke TE, Battista RN, DeFries GH, Brekke ML. Attributes of successful smoking cessation interventions in medical practice. *JAMA*.1988;259:2883-89

Larsson ML, Frisk M, Hallstrom J, Kiviloog J, Lundback B. Environmental tobacco smoke exposure during childhood is associated with increased prevalence of asthma in adults. *Chest*. 2001;120:711-717

Li VC, Coates TJ, Spielberg LA, Ewart CK, Dorfman S, Huster WJ. Smoking cessation with young women in public family planning clinics: the impact of physician messages and waiting room media. *Prev Med*. 1984;13:477-89

Li YF, Gilliland FD, Berhane K, et. al. Effects of in utero and tobacco smoke exposure on lung function in boys and girls with and without asthma. *Am J Respir Crit Care Med* 2000;162:2097-104

Li YF, Langholz B, Salam M, Gilliland FD. Maternal and Grandmaternal Smoking Patterns Are Associated With Early Childhood Asthma. *Chest*. 2005;127:1232-41

Mathews TJ. Smoking during pregnancy in the 1990's. *Natl Vital Stat Rep*. 2001;49:1-14

Matt GE, Quintana PJE, Hovell MF, Bernert JT, Song S, Novianti N et. al. Households contaminated by environmental tobacco smoke:sources of infant exposures. *Tob Control* 2004;13:29-37

Melvin CL, Adams EK, and Ayadi MF. State estimates of neonatal health-care costs associated with maternal smoking- United States, 1996. *MMRW* 2004;53:915-17

McIntosh N, Clark N, Howatt W. Reducing tobacco smoke in the environment of the child with asthma:A cotinine-assisted minimal-contact intervention. *J Asthma*. 1994; 31:453-462

McIllvain H, Susman JI, Davis C, Gilbert C. Physician counseling for smoking cessation: is the glass half empty? *J Fam Pract*. 1995;40:148-52

Murray AB, Morrison BJ. The decrease in severity in asthma in children of parents who smoke since the parents have been exposing them to less cigarette smoke. *Journal of Allergy and Clinical Immunology*. 1993;9:102-100

Musk AW, De Klerk NH. History of tobacco and health;invited review series:tobacco and lung health. *Respirology*. 2003;8:286-90

National Cancer Institute. *Risks Associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine*. Smoking and Tobacco Control Monograph No. 13. Bethesda, MD; U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub. No. 02-5074, October 2001

National Institute of Allergy and Infectious Diseases. *Asthma: a concern for minority populations*. Bethesda, MD. Jan 1997

Nelson KP, Ford RPK, Wild CJ. Women in low income groups smoke more: Canterbury, 1976-1992. *NZ Med J*.1995;108:148-150

Newacheck PW, Stoddard JJ, Hughes DC, Pearl M. Health insurance and access to primary care for children. *N Engl J Med*. 1998;338:513-19

Okah FA, Okuyemi KS, McCarter KS, Harris KJ, Catley D, Kaur H, Ahluwalia JS Predicting adoption of home smoking restriction by inner-city black smokers. *Archives of Pediatrics & Adolescent Medicine* 2003;157(12):1202-5

Oldigs M, Jorres R, Magnussen H. Acute effects of passive smoking on lung function and airway responsiveness in asthmatic children. *Pediatr Pulmonol*. 1991;10:123-131

Parrot, AC. Does cigarette smoking cause stress? *American Psychologist* 1999;54(10):817-82

Pechacek TF, Babb S. Commentary: How acute and reversible are the cardiovascular risks of secondhand smoke? *BMJ*. 2004;328:980-83

Pell J, Haw S, Cobbe S, Newby D, Pell A, Fischbacher C, et. al. Smoke-free Legislation and Hospitalizations for Acute Coronar Syndrome. *The New England Journal of Medicine* 2008;359:482-91



Perez-Stable EJ, Juarez-Reyes M, Kaplan C, et. al. Counseling smoking parents of young children. *Arch Pediatr Adolesc Med*. 2001;155:25-31

Pirkle JL, Bennett JT, Caudill SP, Sosnoff CS, Pechacek TF. Trends in the exposure of nonsmokers in the U.S. population to secondhand smoke: 1988-2002. *Environmental Health Perspectives* 2006;114(6):8538-8

Pirkle JL, Flegal KM, Bennett JT, Brody DJ, Etzel RA, Maurer KR. Exposure of the US population to environmental tobacco smoke: the third national health and nutrition examination survey, 1988 to 1991. *JAMA*. 1996;275(16):133-40

Projected smoking-related deaths among youth—United States. *MMWR* p.1996;45:971-74

Redd SC. Asthma in the United States: burden and current theories. *Environ Health Perspect* 2002;110(suppl):557-60

Rees VW, Connolly G. Measuring air quality to protect children from secondhand smoke in cars. *Amer J Prev Med* 2006;xx(x) Available at: <http://www.ajpm-online.net>. Accessed: Aug 19, 2008

Richardson K. *Smoking, Low Income and Health Inequalities: Thematic Discussion Document*. Health Department Agency, 2001. Available at: http://www.nice.org.uk/niceMedia/documents/smoking_low_income.pdf. Accessed July 31, 2008

Robinson J, Andrew Kirkady. 'Imagine all that smoke in their lungs':parents' perceptions of young children's tolerance of tobacco smoke. *Health Education Research*.Dec. 20, 2007

Roseby R, Waters E, Polnay A, Campbell R, Webster P, Spencer N. Family and career smoking control programmes for reducing children's exposure to environmental tobacco smoke. *Cochrane Database Syst Rev*. 2003;(3):CD001746.

Russell MA, Stapleton JA, Jackson PH, Hajek P, Belcher M. District Programme to reduce smoking: effect of clinic supported brief intervention by general practitioners. *Br Med J (Clin Res Ed)*. 1987;295:1240-47

Sandler DP, Wilcox AJ, Everson RB. Cumulative effects of lifetime passive smoking on cancer risk. *Lancet*. 1985;1:312-15

Sandler DP, Everson RB, Wilcox AJ, Browder JP. Cancer risk in adult-hood from early life exposure to parents' smoking. *Am J Public Health*. 1985;75:487-92

Santa Monica Approves Broad Outdoor Smoking Ban.The City of Santa Monica Web Site. <http://www.01.smgov.net/news/releases/archive/2006/cao20061011.htm>. Updated November 11, 2006. Accessed Sept. 8, 2008

Sheahan SL, Free T, Rayens MK. Counseling parents to quit smoking. *Pediatric Nursing*. Mar /Apr 2005;3(2):98-109



Sheahan SL, Free T, Rayens MK. Smoking behavior and desire to quit among low-income female caregivers. *Applied Nursing Research*. 2003;16(3):156-163

Siersted HC, Boldsen J, Hansen HS, Mostgaard G, Hyldebrandt N. Population based study of risk factors for underdiagnosis of asthma in adolescence: Odense schoolchild study. *Brit Med J*. 1998;316:651-55

Stoddard JJ & Gray B. Maternal smoking and medical expenditures for childhood respiratory illness. *American Journal Public Health*. 1997;87(2):205-09

Strachan DP, Cook DG. Health effects of passive smoking. 4. Parental smoking, middle ear disease and adenotonsillectomy in children. *Thorax* 1998; 53:50-56

Strachan DP, Jarvis MJ, Feyerabend C. Passive smoking, salivary cotinine concentrations, and middle ear effusion in 7 year old children. *Br Med J*. 1989;298:1549-1552

Sweeda EL. *Summary of legal cases regarding smoking in the workplace and other places*. Boston, Massachusetts: Tobacco Control Resource Center, July 1997.

Tanski S, Klein J, Winickoff J, Auinger P, Weitzman M. Tobacco counseling at well-child and tobacco-influenced illness visits: opportunities for improvement. *Pediatrics*. 2003;111:162-167

Taylor A, Johnson D, Kazemi H. Environmental Tobacco Smoke and Cardiovascular Disease. *Circulation*. 1992;86:699-702

Trends in cigarette smoking among high-school students-United States, 1991-2001. *MMWR Morb Mortal Wkly Rep*. 2002;51:409-12

Tulve NS, Suggs JC, McCurdy T, et. al. Frequency of mouthing behavior in young children. *J Expo Anal Environ Epidemiol* 2002;12:259-64

U.S. Department of Health and Human Services. *The health consequences of smoking: chronic obstructive lung disease. A report of the surgeon general* (PHS Publication 1984; No. 84-50205:451-98) Washington, D.C: U.S. Government Printing Office

U.S. Department of Health and Human Services. 2001 Surgeon General's Report-Women and Smoking. Centers for Disease Control and Prevention Web Site. Available at: http://www.cdc.gov/tobacco/data_statistics/sgr/sgr_2001/highlight_use.htm Updated March 27, 2001. Accessed: August 31, 2008

U.S. Department of Health and Human Services. Centers for Disease Control and Prevention Web Site. Preventing Smoking and Exposure to Secondhand Smoke Before, During, and After Pregnancy. <http://www.cdc.gov/nccdphp/publications/factsheets/Prevention/smoking.htm>. Updated Oct. 3, 2007. Accessed: Sept.11, 2008

U.S. Department of Health and Human Services. *The Health Benefits of Smoking Cessation. A Report of the Surgeon General*. Washington, DC: U.S. Government Printing Office; 1990

U.S. Department of Health and Human Services. *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 2006. Available at: <http://www.surgeongeneral.gov/library/secondhandsmoke/report>. Accessed July 30, 2008.

U.S. Department of Health and Human Services. *HHS Targets Efforts on Asthma*. Washington, DC: Dept of Health and Human Services; May 21, 1998.

US Surgeon General's Report 2001. *Women and smoking at a glance*. Centers for Disease Control and Prevention Web Site. Available at: www.cdc.gov/tobacco/data_statistics/sgr/sgr_2001/ataglace.htm. Updated: March 21, 2001. Accessed: Sept. 9, 2008

Vaselli A, Papini P, Gaelone D, Spizzichino L, De Campora E, Gnani R, et. al. Reduction incidence of myocardial infarction associated with a national legislative ban on smoking. *Minerva Cardiological* 2008 56(2):197-203

Voorhees CC, Schreiber GB, Schumann MA, Biro F, Crawford PB. Early predictors of daily smoking in young women: The National Heart, Lung, and Blood Institute Growth and Health Study. *Preventive Medicine*. 2002;34:616-24

Wahlgreen DR, Hovell MF, Meltzer SB, Hofstetter CR, Zakarian JM. Reduction of environmental tobacco smoke exposure among asthmatic children: a controlled trial. *Chest*. 1994;106:440-46

Wakefield MA, Chaloupa FJ, Kaufman NJ, Orleans CT, Barker DC, Ruel EE. Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross sectional study. *BMJ*. 2000;321:333-37

Wakefield M, Gillies P, Graham H et. al. Characteristics associated with smoking cessation during pregnancy among working class women

Wakefield M, Banham D, Martin J, Ruffin R, McCaul K, Badcock N. Restrictions on smoking at home and urinary cotinine levels among children with asthma. *Am J Prev Med*. 2000;19:188-192

Wakschlag LS, Pickett KE, Kasza KE, Loeber L. Is prenatal smoking associated with a developmental pattern of conduct problems in young boys. *Journal of the American Academy of Child and Adolescent Psychology*. 2006;45(4):461-67

Wakschlag LS, Briggs-Gowan MJ, Carter AS, Hill C, Danis B, Keenan K, et. al. A developmental framework for distinguishing disruptive behavior from normative misbehavior in preschool children. *Journal of Child Psychology and Psychiatry and Allied Disciplines*. 2007;48(10):976-87

Wall MA, Severson HH, Andrews JA, Lichtenstein E & Zoref L. Pediatric office-based smoking intervention: Impact on maternal smoking and relapse. *Pediatrics*. 1995;96:622-28



Weitzman M, Gortmaker S, Walker DK, Sobol A. Maternal smoking and childhood asthma. *Pediatrics*. 1990;85:505-511

Williams GC, Williams SA, Korn Jr. RJ. Secondhand smoke (shs) deserves more than secondhand attention: modifying the 5a's model to include counseling to eliminate exposure. *Family Systems and Health*. 2005;23(3):266-277

Willers S, Skarping G, Dalene M, et al. Urinary cotinine in children and adults during and after semi-experimental exposure to environmental tobacco smoke. *Arch Environ Health* 1995;50:130-138

Winickoff JP, McMillen RC, Carroll BC, Klein JD, Rignotti, NA, Tanski SE, Weitzman M. Addressing parental smoking in pediatrics and family practice: a national survey of parents. *Pediatrics*. 2003 Nov;112(5):1146-51

Winickoff JP, Hillis VJ, Palfrey JS, Perrin JM, Rigotti NA. A smoking cessation intervention for parents of children who are hospitalized for respiratory illness: the stop tobacco outreach program. *Pediatrics*. 2003;111:140-145

World Health Organization. *Tobacco Free Initiative Consultation Report: International Consultation on Environmental Tobacco Smoke (ETS) and Child Health*. Geneva, Switzerland:World Health Organization, 1999

Worldwide variation in prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and atopic eczema: ISAAC. *Lancet*. 1998;351:1225-32

Yolton K, et.al. Exposure to Environmental Tobacco Smoke and Cognitive abilities of U.S. Children and Adolescents. *Environmental Health Perspectives*. 2004;113(1):98-103