

June 23, 2016

2016 Webinar #3:

Reducing the Rate of Co-occurring Mental Health Disorders in Children with Prenatal Substance Exposure: The Role of Child Protection Services

References

- Barr, H.M., Bookstein, F. L., O'Malley, K. D., Connor, P.D., Huggins, J.E., and Streissguth, A.
 P. Binge drinking during pregnancy as a predictor of psychiatric disorders on the structured clinical interview for DSM-IV in young adult offspring. The American Journal of Psychiatry, 163: 1061-1065, 2006.
- Burns, B. J., Phillips, S. D., Wagner, H. R., Barth, R. P., Kolko, D. J., Cambell, Y., & Landsverk,
 J. Mental health need and access to mental health services by youth involved with child welfare: A national survey. Journal of the American Academy of Child and Adolescent Psychiatry, 43: 960-970, 2004.
- Costello, E.J., Mustillo, S., Erkanli, A., Keeler, G, & Angold, A. Prevalence and development of psychiatric disorders in childhood and adolescence. Archives of General Psychiatry, **60**: 837-844, 2003.
- Famy, C., Streissguth, A.P., & Unis, A.S. Mental illness in adults with fetal alcohol syndrome or fetal alcohol effects. The American Journal of Psychiatry, **155**: 552-554, 1998.
- Fryer, S. L., McGee, C.L., Matt, G. E., & Riley, E. P. Evaluation of psychopathological conditions in children with heavy prenatal alcohol exposure. Pediatrics, **119**: 733-741, 2007.



- Lynch, M.E., Coles, C.D., Corley, T., & Falek, A. Examining delinquency in adolescents differentially prenatally exposed to alcohol: The role of proximal and distal risk factors. Journal of Studies on Alcohol, **64**: 678-686, 2003.
- O'Connor, M. J. & Kasari, C. Prenatal alcohol exposure and depressive features in children.

 Alcoholism: Clinical and Experimental Research, 24: 1084-1092, 2000.
- O'Connor, M.J. Prenatal alcohol exposure and infant negative affect as precursors of depressive features in children. Infant Mental Health Journal, Special Issue, **22:** 291-299, 2001.
- O'Connor, M. J., Shah, B., Whaley, S., Cronin, P., Gunderson, B., & Graham, J. Psychiatric illness in a clinical sample of children with prenatal alcohol exposure. The American Journal of Drug and Alcohol Abuse, **28**: 743-754, 2002.
- O'Connor, M.J., & Paley, B. The relationship of prenatal alcohol exposure and the postnatal environment to child depressive symptoms. Journal of Pediatric Psychology, **31:** 50-64, 2006.
- Shin, S. H. Need for and actual use of mental health service by adolescents in the child welfare system. Children and Youth Services Review, **27**: 1071-1083, 2005.
- Streissguth, A. P., Barr, H.M., Kogan, J., & Bookstein, F.L. Understanding the occurrence of secondary disabilities in clients with fetal alcohol syndrome (FAS) and fetal alcohol effects (FAE): Final report to the Centers for Disease Control and Prevention on Grant No. RO4/CCR008515 (Tech Report No. 96-06). Seattle: University of Washington, Fetal Alcohol and Drug Unit, 1996.



Streissguth, A.P., Barr, H.M., Sampson, P.D., & Bookstein, F.L. Prenatal alcohol and offspring development: The first fourteen years. Drug and Alcohol Dependence, **36**: 89-99, 1994. Viner, R. & Taylor, B. Adult health and social outcomes of children who have been in public care: Population-based study. Pediatrics, **115**, 894-899, 2005.